



Rf. AIS-CAB A122-1014/A122-1014

**Cable Conversor Aisens A122-1014 SVGA Macho -
USB Macho - Jack Macho/ HDMI Macho/ 1.5m/
Negro**

AISENS - CABLE CONVERSIONS HDMI A SVGA+AUDIO, HDMI A/M-SVGA/M+JACK 3.5/M+USB-A/M, NEGRO, 1.5M

Conversion HDMI to SVGA and audio with HDMI male connector on one end and D-sub HDB15 male, 3.5mm jack and USB-A male on the other.

Allows the user to connect a VGA monitor to a device with HDMI output, avoiding the cost of updating the monitor for compatibility issues.

Supports HDCP 1.2

Supports bandwidth 165MHz/1.65Gbps per channel (6.75Gbps total channels) for HDMI signal input.

Supports analog signal output up to UXGA 1600x1200 and 1080p with 10-bit DAC.

Includes a USB-A connector for external power when necessary to increase signal strength.

No software or drivers required, a completely plug and play solution. Specifications

General

Tipo: cable conversor HDMI a SVGA con audio

Longitud: 1.5 m

Color: negro

Instalación: plug and play, no requiere software ni controladores

Conectividad

Conector HDMI: 1 x HDMI tipo A macho

Conector SVGA: 1 x D-Sub HDB15 macho

Conector de audio: 1 x jack 3.5 mm macho

Conector de alimentación: 1 x USB-A macho

Vídeo

Ancho de banda: 165 MHz / 1.65 Gbps por canal

Ancho de banda total: 6.75 Gbps

Resolución máxima: hasta UXGA 1600 x 1200 y 1080p

Conversión digital-analógica: DAC de 10 bits

Compatibilidad HDCP: HDCP 1.2

Funcionamiento

Conversión de señal: permite conectar pantallas VGA a dispositivos con salida HDMI

Alimentación adicional: posibilidad de alimentación mediante USB-A para mejorar la estabilidad de la señal

Certificaciones

Normativas: RoHS

Control de calidad: 100% testado

** Esta Ficha es de caracter INFORMATIVO y carece de calidad contractual, los precios, existencias y referencias puede variar en el momento de formalizarlo en Pedido.

*** La Garantia y Soporte de productos estan establecidas y gestionadas por cada fabricante y marca.